



**XCFR2.E473472
Terminal Blocks - Component**

Page Bottom

Terminal Blocks - Component

See General Information for Terminal Blocks - Component

NINGBO ULO ELECTRONICS CO LTD
ZHANGSHU KUANGYAN TOWN
CIXI, NINGBO 315333 CHINA

E473472

Cat. No.	Wire Range	Wire Type	FW	TQ Lb In.	V	A	UG	CA
ULO-TB01, ULO-TB02, ULO-TB03, ULO-TB04	16-28 AWG, Str/Sol	Cu	2	1.7	300	10	B	2 (115), 4
ULO-TB11, ULO-TB12, ULO-TB13, ULO-TB14, ULO-TB15, ULO-TB16, ULO-TB17, ULO-TB18	16-28 AWG, Str/Sol	Cu	2	1.7	300	10	B	2 (115), 4
ULO-TB21, ULO-TB22, ULO-TB23, ULO-TB24, ULO-TB25, ULO-TB26, ULO-TB27, ULO-TB28, ULO-TB29, ULO-TB30, ULO-TB31, ULO-TB32, ULO-TB33, ULO-TB34, ULO-TB35, ULO-TB36, ULO-TB37, ULO-TB38, ULO-TB39, ULO-TB40, ULO-TB41, ULO-TB42, ULO-TB43, ULO-TB44	12-28 AWG, Str/Sol	Cu	2	4.5	300	20	B	2 (115), 4
						Note A	D	
ULO-TB51, ULO-TB52, ULO-TB53, ULO-TB54	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B	2 (115), 4
						Note A	D	
ULO-TB55, ULO-TB56, ULO-TB57, ULO-TB58	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B	2 (115), 4
						Note A	D	
ULO-TB61, ULO-TB62, ULO-TB63, ULO-TB64, ULO-TB65, ULO-TB66, ULO-TB67, ULO-TB68	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B, C	2 (115), 4
						Note A	D	
ULO-TB71, ULO-TB72, ULO-TB73, ULO-TB74	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B	(115), 4
						Note A	D	
ULO-TB75, ULO-TB76, ULO-TB77, ULO-TB78	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B	2 (115), 4
						Note A	D	
ULO-TB81, ULO-TB82, ULO-TB83, ULO-TB84, ULO-TB85, ULO-TB86, ULO-TB87, ULO-TB88	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B, C	2 (115), 4
						Note A	D	
ULO-TB91, ULO-TB92, ULO-TB93, ULO-TB94, ULO-TB95, ULO-TB96, ULO-TB97, ULO-TB98	12-26 AWG, Str/Sol	Cu	2	3.5	300	10	B	2 (115), 4
						Note A	D	

Note: A - These limited ratings are applicable to a terminal block for use in or with industrial control equipment whereby the load on any single circuit of the terminal block does not exceed 15 A at 51-150 V, or 10 A at 151-300 V, or 5A at 301-600V, or the maximum ampere rating, whichever is less.

Marking: Company name and catalog designation (catalog designation may appear on shipping carton).

Last Updated on 2015-02-02

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".